



DEHUMIDIFIER & AIR PURIFIER 2-IN-1 Q10 USER MANUAL



Dear customers,

Thank you for purchasing Afloia Air Purifier & Dehumidifier.

Please keep this User Manual for your reference. This manual will guide you if you have any questions or troubleshooting problems.



Top Features of Afloia Dehumidifier & Air Purifier In One

- **Air Purification**
The H13 HEPA filter helps you to improve air quality by capturing fine dust, allergens, smoke, household odors, and more.
- **Dehumidification**
This dehumidifier with 35oz capacity tank extracts up to 16oz of water daily in a humid environment of 86°F and 80% RH, helps you improve air quality and create a comfortable and clean living environment for you.
- **Timer Setting**
You can set the timer from 2 to 8 hours depending on preference.
- **Adjustable Fan Speed**
You may choose among 3 levels of fan speed. The fan at the lowest noise level will run quietly, silently cleans the room air during your sleep.
- **Filter Replacement Indicator**
The built-in replacement indicator reminds user when the filter is needed to be replaced.

Please read the instructions carefully before using the product and keep them properly.

CONTENTS

Before Use ● Top Features of Afloia Air Purifier	2
Description of Parts	4
During Use ● How to Replace Filter	5-6
Names and Functions of Control Panel	7
About the Machine	8
About the Filter	9
About the Water Tank	10
Caution / Attention	11-12
Before Asking for Support ● Troubleshooting	13-14
Service Information ● Product Specifications and Inquiry about Malfunction	15

Description of Parts


Unboxing

To unbox the air purifier, open the box, take out the foam lining, and take out the internal accessories and user manual.


Pull the machine out of the box and pull down the plastic covering surrounding it.

Keep the product box in a safe location for future use. After clearing the inner packaging of the air purifier, pull and lift the filter cover on the front shell, take out the filter and remove its plastic packaging.

Description of Parts



Accessories



User Manual

※ The picture may differ from the actual product.

How to Replace Filter


* Note :

- Please remove the packaging from the filter before using it.
- Ensure the machine is unplugged before removing or installing the filter.
- Please wipe the dust on the filter regularly, do not wash or use it repeatedly.
- Please do not use other filters that are not designed for this air purifier.


- 1 When the power indicator light keeps flashing in orange color, it means the filter needs to be changed.




- 2 Pull and lift the filter cover on the front shell.



- 3 Take out the old filter from the air purifier.




- 4 Remove the packaging around the new filter.



How to Replace Filter

- 5 Install the filter into the machine.



- 6 Put the filter cover back to the machine: Lock the bottom of the filter cover in the bottom of the front shell. Then push the cover toward the body of machine.



*** Note**

Failure to properly place the filter on the air purifier, may result in air purifier not working properly.

Resetting the Filter Replacement Alert


When the air purifier detects that the filter reaches the saturation value, the power indicator light keeps flashing in orange color.

Please press the purification button for 7 seconds to reset the filter replacement alert after installing a new filter.


If it is the first time using the air purifier, do not reset it.

Maximum Purification Efficiency

In order to keep the best purification effect, it is recommended to keep the air purifier standing on the floor and keep it at least 1ft (30cm) away from the wall.







Names and Functions of Control Panel



* Note

When the air purifier connects to the power outlet, it will beep for once, the lamp will turn on for 1 second and then turn off, this means that the air purifier is powered on.

Button Description

 <p>Air Purifier</p>	<p>Power Button/ Purification Button</p> <ol style="list-style-type: none"> 1.Press the button, the purification indicator will turn on, the machine will start working with air purification. 2.Press it again, the machine will power-off. <p>(Note: When the machine is connected to the power supply, the buzzer will ring for one time, all indicator light will light for one time and then go out, and the machine will enter the standby state. The buzzer will ring with every touch of any button.)</p>
 <p>Dehumidifier</p>	<p>Dehumidification Button</p> <ol style="list-style-type: none"> 1.Press this button when the machine is turn on, the machine will dehumidify with purification function. 2.Press again, turn off the dehumidification function and its indicator light, the purification function and its indicator will keep operating.
 <p>L M H</p>	<p>Fan Speed Button</p> <ol style="list-style-type: none"> 1.Press the button to set modes when the function of purification turns on. 2.There are 3 options for fan speed: H or High, is the fastest fan speed. M or Moderate, is the second fastest fan speed. L or Low, is the lowest fan speed and most quiet. <p>To switch the fan speed, press again to adjust the wind speed among the circulation of L, M, and H mode, the corresponding indicator will be on.</p>
 <p>2H 4H 8H</p>	<p>Timer Button</p> <ol style="list-style-type: none"> 1. To use the timer, press the timer button to set among the circulation of 2H, 4H and 8H timer with buzzer rang, and its corresponding indicator light will be on and keep green. 2. When the timer is up, the air purifier will turn off, the fan will stop working. <p>(Note: if switch off the timer indicator, the air purifier will work continuously.)</p>

Connect the Power

Please confirm that the input voltage is AC120V 60Hz, and ensure that the power plug and your hands are dry before you insert the power cord plug into the outlet.

Note: Contact Customer Service when the power cord or plug is damaged or the power outlet is loose.

We strongly recommend that the damaged parts be repaired or replaced.

To replace the damaged power cord or plug, please visit Afloia website and contact Customer Service.

About the Machine

Function Instruction

Purification dehumidifier combines with functions of dehumidification and purification, providing two working modes for users to enjoy fresh air and suitable humidity in the mean while.

Water Full Instruction

- When the water tank is full, the machine will be auto-off and its indicator light will change to red and keep flashing.
- Put the water tank back to the machine after pouring the water to restart.

Reminder For Replacing Filter Instruction

- When the machine detects that the filter runs out, the air purifier indicator will change to orange and keep flashing.
- Press the purification button for 7 seconds to reset after replacing a new filter.

Low-Temperature Dehumidifier

- The running temperature for the machine is 5°C to 50°C , when the temperature is above 5°C, the machine will continue to work

Air Purification

We recommend replacing the filter every 3-6 months. However, you may need to change your filters sooner or later depending on use frequency and air quality. For buying more filters, please visit Afloia website and contact Afloia customer service.

Maintenance

- Ensure the air purifier is unplugged before maintenance.
- Do not immerse the air purifier into water or any liquid.
- Do not use abrasive, corrosive or flammable cleansers (such as bleach or alcohol) to clean any part of the unit.
- Do not wash the filter.
- Do not use a vacuum cleaner to clean the filter.


Cleaning and Storage

- Ensure the air purifier is powered-off and unplugged.
- Use a soft cloth with neutral cleanser to clean away any dust or debris from the surface of the air purifier and air intake/vent.
- If you do not use it for a long time, please turn on the air purifier for a few minutes from time to time to ensure a good performance. And ensure the water tank is clean and the machine is completely dry out.

About the Water Tank

Methods of Pouring Water

- The water tank has maximum capacity of 1000ml with 750ml per day working capacity;
- The machine will auto-off when the water tank is full, the indicator light will turn on.
- Please turn off the machine when water tank is full, pull out the water tank, and then put it on a horizontal place. Opening the water tank cover with upright direction and pour the water.



- Please reset the water tank and restart the machine after pouring the water.
- Do not move or destroy the water tank float, otherwise the machine will not work or cause any other unnecessary breakdowns.
- The water tank can be connected with the hose to drain water when pulling out the silicone rubber drain stopper and plug the hose into the drain hole. (Note: The rubber drain is not included)

Notice: Please open the tank cover according to the photo, then pour the water.

* Please comply with the 'Caution' as they are provided to ensure safe and proper use of the product and prevent accidents and dangerous situations.

Safety Instructions



Introduction

Thank you for choosing a device from Afloia.

Intended use

- The device is used exclusively for cleaning the ambient air indoors.
- Please read these operating instructions before using the machine and please follow the safety instructions. The operating instructions must be kept available at all times.



Safety instructions

- Keep packing material, such as plastic wrapping, away from children! (Risk of suffocation)
- Please follow the safety instructions to prevent fire or electric shock. Only use the device indoors.
- Only use a socket that supplies the correct voltage (see rating plate).
- Do not modify or repair the device.
- Do not use the device if the power cable or mains plug is damaged or if the connection at the socket is not stable.
- Make sure that the power cable does not get crushed while you are using the device and that it cannot be damaged in any other way. Place the cable so that no one will trip over it. Do not pull the power cable tight.
- Disconnect the plug from the socket for cleaning purposes and whenever the device is not in use for a significant period of time.
- Do not touch the plug or the device if you have wet hands.
- Do not spray any insect repellent.
- Do not use in rooms where the device may come into contact with fuel vapour, oil vapour or metal dust.
- Do not use any volatile liquids, petroleum, kerosene, paint thinner or polishing paste to clean the device. Such liquids may damage the surface of the device.
- Make sure that no foreign objects get into the outlet grilles.
- Do not use near a naked flame or sparks.
- The device is not suitable for removing harmful gases (carbon monoxide, e.g. from heating appliances).
- Unless they are supervised, the device must not be used by those (including children) with reduced, physical, sensory and mental abilities or who do not have the required experience and knowledge.

Caution

Safety Instructions



Safety instructions

- Do not block the air intake or outlet.
 - Do not expose the air purifier to direct sunlight, a naked flame or heat.
 - Only use the air purifier in living quarters and within the specified technical parameters. Improper usage may pose a threat to life and health.
 - Do not use the device near a smoke detector. Air blowing towards a smoke detector could delay the alarm or not trigger at all.
-



Caution

- Risk of injury due to electric shock.
Always disconnect the mains plug prior to :
- Maintenance and cleaning
 - Moving the device
 - Changing the filter
-



Caution

- Do not use any spray cans with flammable contents near to the air purifier!
-



Caution

- Do not use any flammable cleaning agents

- ▼ Not following this user manual may result in your device not working. Please read the following measures accordingly if you are having problems with your device. If you are still having problems, please contact our Customer Service Centers.

Problem	Checklist	Recommendation
The product won't work even if I press the Power button.	Are you in a black out?	Check the power supply.
	Is the power cord plugged into the power outlet?	Put the power plug in a power outlet.
No air is blowing out.	Is there material blocking the intake or air vent?	Remove material from vent/intake. Check if plastic packaging has been removed from filter.
	Is the air purifier placed where the intake or blocked preventing air from moving freely?	Remove objects blocking the air purifier or place it elsewhere.
	Air purifier is on but fan does not work.	Unplug from the wall and contact Afloria customer service: service@afloria.com
Loud Noises	Is there anything stuck in the fan or air intake/vent?	Please remove any objects you see from the fan intake/vent.
	Is the air purifier tilted on its side?	Make sure the base is level on a flat surface.
	Is the fan really loud?	Set your air purifier to a lower fan speed to reduce the noise.
The filter replacement alert is still blinking after I changed the filter.	Have you reset the filter replacement alert?	Press and hold the power button for 7 seconds to reset the filter replacement alert.

Troubleshooting

Problem	Checklist
Coming out nasty smell	Is the air purifier in a place with a lot of smoke and odor?
	Should I clean or replace my filter?
	Do you smell plastic?
	Is there a burning smell?
Poor performance (less water in the tank)	Is the filter blocked?
	Is the door opened?
	Is there any obstacle blocking the air inlet/outlet?
	Is there any other equipment releasing steam indoor?
	Is the indoor temperature too low? (the dehumidification capacity will be weakened in a low temperature and humidity environment)
Leakage	Is the machine tilted or dumped?
	Is there any water in the tank when moving the machine?
	Is the floating ball in the water tank fall off?
	Is the drain hose plugged in the right place?
	Is the silicone rubber drain stopper plugged the drain hole?

Note : If these suggestions do not work accordingly, please contact Aflora customer service and await instructions. Do not disassemble, repair or fix anything by yourself.

Product Specifications

Category	Dehumidifier & Air Purifier 2-IN-1
Model	Q10
Power Supply	AC120V 60Hz
Rated Power Input	45W
Water Tank Capacity	1000ml
Working Capacity	750ml/d (30°C 80%RH)
Noise	30-45 dB
Coverage Area**	Dehumidification 215ft ² /20m ² Purification 108ft ² /10m ² - 161ft ² /15m ²
Dust Collecting Method	Mechanical dust collecting method
Product Size	D7.6 x W7.6 x H13 inch / D193 x W193 x H332 mm
Product Weight	5.9 lbs / 2.7kg
Place for Use	For indoors

1.The information (exterior, design, and specifications) provided in this User Manual is subject to change without prior notice to improve the quality of the device.

2.Room coverage** based on the Air Change Per Hour or ACPH which is how many times per hour the air in your room will be fully purified.

Inquiry about Malfunction

Product parts may wear out due to heat, moisture, dust and other causes over time, which may cause malfunction of the product.

In the case that

- ① Something other than the symptoms coming under "Troubleshooting";
- ② You can feel electricity when you touch the product with your hands;
- ③ The power is supplied, but the fan does not work;
- ④ Other malfunctions occur.



Please stop using the product.

Please unplug the product and contact service@aflora.com

Warranty

For questions about our warranty or to look at our other products, please visit our website: www.aflora.com

MEMO



DEHUMIDIFIER & AIR PURIFIER 2-IN-1 Q10 USER MANUAL

We provide satisfying consultation and services concerning your complaints, suggestions, and recommendations upon receiving your troubled product model name, status, and contact information.

- After reading this manual, keep it in a place easily accessible to the user for future reference.
- Caution : Please read this manual carefully to ensure safety and a longer product lifespan.