

Airtok

# AIR PURIFIER

AP1001



## Owner's Manual

READ AND SAVE THESE INSTRUCTIONS

# ❖ Customer support I

Congratulations on your purchase of this Airtok air purifier. Please study this manual carefully to familiarize yourself with the features and functions of your Airtok air purifier. Inside you will find many helpful hints on how to use and maintain your Airtok air purifier properly.

If you encounter any issues or have any questions regarding your new product, feel free to contact our helpful Customer Support Team. Your satisfaction is our goal!

## LIVE CHAT SUPPORT

Scan QR Code & Start Chatting



[www.airtok.com](http://www.airtok.com)



# WARNING

---

## Important safety instructions

II

Read all instructions before using this air purifier.


When using an electrical appliance, basic precautions should always be followed, including the following:

- Make sure the air purifier is plugged into a live AC outlet.
- Always turn off and unplug the air purifier when not in use.
- Disconnect the power supply from your air purifier by unplugging the power cable before replacing filters and before cleaning and before servicing.
- Do not use attachments or filters not recommended by Airtok.
- Do not use the air purifier outdoors.
- Do not attempt to remove any part of the unit except the filters.
- Do not attempt to repair the air purifier.
- Do not attempt to plug in the machine when your hands are wet.
- Do not soak the purifier in water or splash water on it.
- Do not operate the air purifier near an open flame.
- Do not obstruct the air inlet and air outlet of the air purifier.
- Save these instructions for future reference.
- To reduce the risk of fire or electric shock, do not use this fan with any solid-state speed control device.


## ❖ Packing list 1

Unpack your Airtok purifier follows


1. Remove the Airtok purifier from the packaging.
2. Check the components received against your packing slip to make sure you have all the parts.
3. Check the unit and all the components for damage. If the unit or any of the components show damage from shipping, contact Airtok Technology Inc. ([www.airtok.com](http://www.airtok.com)).



**Host**  
(1PCS)



**Filter**  
(1PCS)  
(loaded into the host)






**Adapter**  
(1PCS)  
(Put into the filter)



**Manual**  
(1PCS)

❖ Product images are for reference only and may differ from the actual product.





## ❖ Introduction to quick start usage scenarios 4

### When to replace filter

The filter life depends on the actual working environment. In the normal service environment, the filter life is 1,500 hours. After about 1,350 hours (90% of rated lifecycle) of cumulative operation, the Filter Replacement light will flash to remind you to purchase and replace the used filter. Replace it with a new one, then press and hold the Filter Replacement button for 3 seconds. And the Filter Replacement light goes out as the buzzer makes a beep.



Filter Replacement

### What to do if the air is dirty

Turn on the machine and press the fan speed button to adjust the fan speed.



Low Speed



Medium Speed



High Speed

### Night light

Press the night light button once and the night light goes out. You can also turn off the night light when it's time for bed.



Night Light

## ❖ Introduction to quick start usage scenarios 5

### How to use child lock

In the power-on state, long press the child lock for 3 seconds, the child lock indicator light is on, and the child lock function is enabled; Press and hold the child lock for 3 seconds, the indicator light of the child lock goes out, and the child lock function is cancelled.




### Timer switch

Timing power-off method: in the power-on state, press the "2H", "4H" or "8H" button, you can set power-off time of 2, 4 or 8 hours from the set time.




## ❖ Where is the power adapter 6


The adapter is inside the machine. Please take it out according to the following steps.




Placing the machine bottom up, rotate the bottom cover counterclockwise to unlock it




Take the filter out of the machine




Take the power adapter package out of the machine



Take the power adapter out of the package



Put the filter back into the machine




Power port


Clockwise rotate the base cover to lock it. Plug in the power adapter.

## ❖ How to replace filter 7


After about 1,350 hours (90% of rated lifecycle of filter) of cumulative operation, the Filter Replacement indicator will light up to remind you to purchase a new filter and replace the used filter.




Placing the machine bottom up, rotate the bottom cover counterclockwise to unlock it




Remove the old filter




Remove the packaging bag of the new filter



Install the new filter



Turn the base cover clockwise to lock it



After switching on the power, press and hold the filter replacement button for 3 seconds, and when you hear the beep, the installation is successful.

## ❖ Product specification 8

Input Voltage (Adapter)	AC100–240V / 50–60Hz
Rated Voltage	DC24V / 1.0A
Rated Power	24 W
CADR	120 CFM /210 m <sup>3</sup> /h
Operating Conditions	Temperature: 14 °F–104°F / –10°C–40°C Humidity: ≤ 85% RH
Noise Level	25–55 dB
Product Net Weight	4.4 lb / 2 kg
Product Size	7.9x7.9x12.6 inch / 200x200x320 mm

### Warranty

- ⦿ Your product is guaranteed by us for 12 months from your original date of purchase. If you want to extend your warranty for one more year, please do not hesitate to contact us.
- ⦿ Become a AIRTOK member to get the information about the replacement filter and the latest products. (AIRTOK reserved the right of final explanation).

### Share your stars

Leave a product review and help others out by sharing your experience.

## ❖ Troubleshooting and solutions 9

Problem	Check items	Solution
The air purifier does not turn on	Whether the socket has power	Power on
	Whether the plug is loose from the socket	Connect the power
When the purification function is turned on, the sound is dull and the wind is small	Whether the air outlet is covered	Turn off the purifier and remove the covering
There is a peculiar smell at the air outlet	Whether there is a large amount of peculiar smell near the air inlet that continues to release	After removing the odor and using the purifier to run for a period of time, the odor will gradually disappear
	Whether the filter has reached the replacement time	Replace the filter

- ❖ The product may have a slight peculiar smell during the initial period of use, which is a normal phenomenon.

# Airtok



**Any Questions?**

 [www.airtok.com](http://www.airtok.com)

 [support@airtok.com](mailto:support@airtok.com)

 [Airtok](#)