


# User Manual

## Airtok Air Purifier



---

Model: AP3001WF

# Airtok



 [www.airtok.com](http://www.airtok.com)

 [support@airtok.com](mailto:support@airtok.com)

 Airtok

# CONTENTS

Safety Information .....	1
Specifications .....	2
Product Overview .....	3
Operation Guide .....	4
Getting Started .....	6
Aromatherapy .....	7
Care & Maintenance .....	8
Troubleshooting .....	10

# SAFETY INFORMATION

---

1. **Do not** use without removing the plastic wrap from the filter. The air purifier will not filter air and may overheat, causing a fire hazard.
2. **Do not** use your air purifier outdoors. Keep your air purifier away from water, wet or damp areas. Never place in water or liquid.
3. **Do not** use in excessively humid areas. Keep your air purifier away from heat sources.
4. **Do not** use where combustible gases, vapors, metallic dust, aerosol (spray) products, or fumes from industrial oil are present.
5. **Do not** block any air flow that is coming in/out of the air purifier.
6. **Do not** sit or place heavy objects on the air purifier.
7. **Do not** use your air purifier if it is damaged or not working correctly, or if the cord or plug is damaged.
8. **Do not** try to repair it yourself. Please contact customer support .
9. Keep the inside of the air purifier dry. To prevent moisture buildup, do not place it in rooms with major temperature changes or underneath air conditioners.
10. Keep 5 ft/1.5 m away from where oxygen is being administered.
11. Supervise children when they are near the air purifier.
- 12 Always unplug your air purifier before servicing (such as changing the filter).
13. This appliance is not intended for using by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction to use the appliance by a person responsible for their safety.
14. Children should be supervised to ensure that they do not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
15. If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or other qualified persons to avoid potential damage.

# SAFETY INFORMATION

---


## Plug & Cord

- Never place the cord near any heat source.
- **Do not** cover the cord with a rug, carpet, or other covering. **Do not** place the cord under furnitures or appliances.
- This appliance has a polarized plug (one blade is wider than the other).  
To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.

## SAVE THESE INSTRUCTIONS

## SPECIFICATIONS

---


<b>Product</b>	Air Purifier	<b>Model</b>	AP3001WF
<b>Voltage</b>	AC100-240V/50-60Hz DC24V/1.5A 	<b>Rated Power</b>	33W
<b>Dimensions</b>	315×166×413mm 12.5×6.53×16.26 in	<b>Weight</b>	3.4kg

## Package Contents

- 1× Air Purifier
- 1× True HEPA Filter
- 1× Power Adapter
- 1× User Manual
- 5× Aromatherapy cottons

# PRODUCT OVERVIEW

1. Control Panel
2. Aromatherapy cover
3. Air Outlet
4. Housing
5. Display
6. Filter
7. Fiter Cover
8. Sensor / Sensor Cover
9. Power Input
10. Power adapter
11. Aromatherapy cotton




Air Quality Indicator








Timer



# OPERATION GUIDE

## CONTROL PANEL





	<b>On/Off Button</b> Turns the air purifier on/off.
	<b>Check Filter Indicator</b> Lights up when the filter needs to be checked. Depending on how often you use the air purifier, the indicator will turn on within 3-6 months. You may not need to replace your filter yet, but you should check it when it turns on. To reset the Check Filter Indicator, press and hold  button for 3 seconds. The Check Filter Indicator will turn off.
	<b>Auto Mode</b> Uses dust sensor/dust sensor inside the air purifier, to adjust the fan speed automatically based on air quality. For example, if the air quality is bad, the fan will automatically be set to high speed.
	<b>Fan Speed Button</b> Cycles through fan speeds: Auto, 1F (low), 2F (medium), 3F (high).
	<b>Timer Button</b> Cycles through timer options: 1hour, 2hours, 4hours, and 8hours. Tap the timer button to select a time, the timer will start. Once the timing setting has completed, the air purifier will turn off. <b>Note:</b> To turn off the timer setting, tap the timer button until the indicator lights off.
	<b>Display off Button</b> Tap the button to turn off/on the display.

# OPERATION GUIDE



## Child Lock Button

When the air purifier is on, you can lock the control panel to prevent settings from being accidentally changed. Buttons will not respond in Lock Mode.

Press and hold  for 3 seconds to **Lock / Unlock** the control panel. When the child lock is activated, the indicator light  will light up on the display screen.



## Sleep Mode Button

Turns Sleep Mode on/off. Sleep Mode operates quietly by using a fan speed lower than low speed.

When the Sleep Mode is activated, the display will turn off.

**Note:** When the display is turned off, tap any button to turn the display back on. no further action is taken , the display will turn off again after 3 seconds.

## Air Quality Indicator Chart

PM2.5 Range	Air Quality	Indicator Color
0-50	Good	Green
51-100	Moderate	Orange
101-500	Poor	Red

# WiFi connection

---

## WiFi

### 一、Install Tuya APP

Scan the QR code of the product, or search for "Tuya Smart" in the app store, download and install the Tuya Smart APP, and users who have installed the Tuya Smart APP will be directed to the device connection page.



Product QR code

### 二、Register an account

1. Click "Register", and the privacy policy page of Tuya Smart Platform will pop up. After reading and agreeing, you will enter the account registration page.



2. You can register with your email or mobile phone number. The country/region will follow the settings of the mobile phone system. You can also manually change the country/region (the country/region cannot be changed after the registration is completed). After entering your mobile phone number or email, click "Get Verification Code".

3. After entering the received verification code, it will jump to the setting password page. After setting the password according to the prompt below, click "Finish" to complete the registration.




## 三、Add device

1. Press and hold the WiFi button for 3-5 seconds on the display of the air purifier. When you hear a "B" sound, the WiFi is turned on, and the WiFi indicator is flashing, waiting for the WiFi to be configured.
2. On the device list page, click the "Add Device" button in the center or click the "+" button in the upper right to enter the "Add Device" page. Currently, there are two methods: "Manual Add" and "Auto Discovery". ("Auto Discovery" mode requires permission to allow the app to use "Wi-Fi and Bluetooth")
3. Select the item "Small Home Appliances" - "Surroundings" - "Air Purifier (WiFi)" function





4. You will first enter the "Enter Wi-Fi Password" page (only supports Wi-Fi networks in the 2.4G frequency band, make sure the phone is connected to WiFi) If you already know how to configure the network, you can select the corresponding configuration according to the status of the indicator light. net way. If you are not clear about the process of network distribution, you can click the option "Light is not flashing" to check.
5. When the addition is successful, click on the APP home page to operate the air purifier function on the APP.




# GETTING STARTED


---



**1.** Open the filter cover from the above and remove the filter from inside of the air purifier.






Matching Slot




**2.** Remove the plastic package from the filter and place the filter back into the air purifier.

Filter cover feet





**3.** Insert the feet of the filter cover into the matching slot at the top of the housing, Use your thumb to push the four positions of the filter cover into the purifier.



**4.** When using the air purifier, give it at least 15 inches / 38 cm clearance from the front of the air purifier. Keep it away from anything that would block air flow, such as curtains.

## ADD AROMATHERAPY

---



- 1.** Press the aromatherapy cover to open it.
- 2.** Add 4-8 drops of aromatherapies into the aromatherapy cotton.

# CARE & MAINTENANCE

---

## Cleaning the Air Purifier

1. Unplug before cleaning.
2. Wipe the outside of the air purifier with a soft, dry cloth. If necessary, wipe the housing with a damp cloth, then immediately dry it off.
3. Vacuum the inside of the air purifier.
4. Do not clean it with abrasive chemicals or flammable cleaning agents.



## Cleaning the Dust Sensor

It is recommended to clean the Dust Sensor every 2 months to maintain the efficiency of the sensor. If the Air Quality Indicator or (indicating “Bad” air quality) more often than usual, you may need to clean your dust sensor.

**Note:** How often to clean the dust sensor will depend on the air quality of surrounding environment. If surrounding air is often polluted with dust, dander, smoke, or other particles, you may need to clean your dust sensor more often.

1. Unplug the air purifier.
2. Open the sensor cover.
3. Use a soft cloth to clean the sensor.

**Caution:** Do not use water, alcohol, gasoline, benzene and any other liquid to clean the sensor. Otherwise, it would cause damage to the sensor.




## **⚠ ATTENTION**

Do not discard the sensor cover, it must be reinstalled after each cleaning.

## Cleaning the Filter

The Pre-Filter should be cleaned once a month to increase efficiency and extend the life of the filter.

1. Take out the filter from the appliance and clean the Pre-Filter with a soft brush or vacuum hose to remove hair, dust, and large particles.
2. Carefully peel the Pre-Filter away from the True HEPA and Activated Carbon Filters.
3. Gently wash the Pre-Filter under running water. Dry completely before placing it back on the velcro tape.
4. Put the filter back.



## When Should I Replace the Filter?

The True HEPA / Activated Carbon Filter should be replaced every 3-6 months. You may need to replace your filter earlier or later depending on how often you use your air purifier. Using your air purifier in an environment with relatively high pollution may demand you to replace the filter more often, even if the Check Filter Indicator is off.

You may need to replace your filter if you notice:

- The air purifier does not effectively filter certain odors anymore.
- Increased noise when the air purifier is on.
- Decreased airflow from the top of the air purifier.
- Unusual odors.
- The HEPA filter is visibly dusty or discolored

**IMPORTANT:** To maintain the performance of your air purifier, only use official Airtok filters. For more information, contact Customer Support.

## Storage

If not using the air purifier for an extended period of time, wrap both the air purifier and the filter in a plastic package and store it in a dry place to avoid moisture damage.

# TROUBLESHOOTING

---

Problem	Possible Solution
Air purifier will not turn on.	Plug in the air purifier.
	Check to see if the power cord is damaged. If it is, stop using the air purifier and contact Customer Support.
	Plug the air purifier into a different outlet.
	The air purifier may be malfunctioning. Contact Customer Support.
Strange smell coming from the air purifier.	Clean the filter, or replace if necessary.
	Contact Customer Support.
	Make sure not to use your air purifier in an area with high humidity or while diffusing essential oils.
Air Quality Indicator always stays green or orange, even when the air quality is poor.	Clean the dust sensor.
	The dust sensor detects airborne particles, but it cannot detect gas. Make sure there aren't gasses polluting the air.
Air Quality Indicator always stays red.	Clean the dust sensor.
	If you're using an ultrasonic humidifier near the air purifier, the mist may affect the accuracy of the dust sensor. The dust sensor will detect large mist particles, and the Air Quality Indicator may turn red. Avoid using an ultrasonic humidifier near the air purifier.

# TROUBLESHOOTING

Problem	Possible Solution
Airflow is significantly reduced.	Make sure the filter is removed from its packaging and properly in place.
	Tap speed button to increase the fan speed.
	Leave 15 inches / 38 cm clearance from the front of the air purifier.
	Replace the filter.
Air purifier makes an unusual noise.	Make sure the filter is properly in place with plastic packaging removed.
	Make sure the air purifier is operating on a hard, flat, level surface.
	Replace the filter.
	The air purifier may be damaged, or a foreign object may be inside. Stop using the air purifier and contact Customer Support . Do not try to repair the air purifier. Contact Customer Support.
Poor air purification quality.	Tap speed button to increase the fan speed.
	Make sure no objects are blocking the front, sides, or top of the air purifier.
	Make sure the filter is removed from its packaging and properly in place.
	Close doors and windows while using the air purifier.
	If the room is too large, air purification will take longer.
	Replace the filter.

**Note:** If your problem is not listed, please contact Customer Support.

**FCC Warning:**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**Caution:** Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.



Made in China